

# SPEC SHEET + MEASUREMENTS

**SPORT-TEK**

## Sport-Tek® Youth PosiCharge® Tri-Blend Wicking Raglan Tee. YST400

### Product photo



This ultracomfortable tee combines moisture-wicking performance, unbeatable tri-blend softness and PosiCharge technology to lock in color.

- 4.4-ounce, 75/13/12 poly/cotton/rayon jersey with PosiCharge technology
- 4.6-ounce, 75/13/12 poly/cotton/rayon jersey with PosiCharge technology (Black Triad Solid)
- 4.7-ounce, 75/13/12 poly/cotton/rayon jersey with PosiCharge technology (White)
- Tear-away removable label
- Contrast neck taping (except White, which is dyed-to-match)
- Raglan sleeves


### CARE INSTRUCTIONS

Machine wash cold with like colors: only non-chlorine bleached when needed, tumble dry low, do not use fabric softener, remove promptly, cool iron if necessary, do not dry clean.

### Sketches



front



back

# SPEC SHEET + MEASUREMENTS



## Sport-Tek® Youth PosiCharge® Tri-Blend Wicking Raglan Tee. YST400

### PRODUCT MEASUREMENTS

	XS	S	M	L	XL
Size	2	4/6	8/10	12/14	16/18
Body Length at Back	19	21	23	25	27
Chest	14	15 1/2	17	18	19 1/2
Sleeve Length	11 1/2	12 3/4	14	15 1/4	16 3/4

**Body Length at Back:** Measured from high point shoulder to finished hem at back.

**Chest:** Measured across the chest one inch below armhole when laid flat.

**Sleeve Length:** Start at center of neck and measure down shoulder, down sleeve to hem.

### SIZE CHARTS

	XS	S	M	L	XL
Size	4/5	6/8	10/12	14/16	18/20
Chest	22-24	25-27	28-30	30-32	32-34

# SPEC SHEET + MEASUREMENTS



## Sport-Tek® Youth PosiCharge® Tri-Blend Wicking Raglan Tee. YST400

### HOW TO MEASURE

---



#### CHEST

Measure under the arm and around the fullest part of the chest with arms down, keeping tape horizontal.

### COLORS

---

Please note: PMS code information is shown only when an exact match is available.



Black Triad  
Solid  
PMS BLACK  
C



Dark Grey  
Heather  
PMS COOL  
GRAY 11C



Light Grey  
Heather  
PMS COOL  
GRAY 5C



True Navy  
Heather  
PMS 533C



True Royal  
Heather  
PMS 7455C