

# SPEC SHEET + MEASUREMENTS

POR T AUTHORITY

## Port Authority® Silk Touch™ Performance Colorblock Stripe Polo. K547

### Product photo



A stripe on the front, back, shoulders and sleeves adds bold contrast to our high-performance polo that wicks moisture and resists snags. PosiCharge® technology delivers exceptional colorfastness and optimal printability.

- 4-ounce, 100% polyester double knit with PosiCharge technology; White is 4.3-ounce for increased coverage
- Self-fabric collar
- Tag-free label
- 3-button placket
- Dyed-to-match buttons
- Open hem sleeves

### CARE INSTRUCTIONS

Machine wash cold with like colors, do not bleach, do not use softener. Tumble dry low, remove promptly. Cool iron if needed. Do not dry clean.

### Sketches



front



back

# SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

## Port Authority® Silk Touch™ Performance Colorblock Stripe Polo. K547

### PRODUCT MEASUREMENTS

	XS	S	M	L	XL	2XL	3XL	4XL	5XL	6XL
Chest	18 1/2	20	21 1/2	23	24 1/2	26	28	30	32	34
Body Length at Front	28	29	30	31	32	33	33 1/2	34	34 1/2	35
Sleeve From Shoulder	17 3/4	18 1/2	19 1/4	20	20 3/4	21 1/2	22 1/4	23	23 3/4	

**Chest:** Measured across the chest one inch below armhole when laid flat.

**Body Length at Front:** Measure from high point shoulder to lowest point of hem at front.

**Sleeve From Shoulder:** Measured from high point of shoulder to finished hem at sleeve.

### SIZE CHARTS

	XS	S	M	L	XL	2XL	3XL	4XL
Chest	32-34	35-37	38-40	41-43	44-46	47-49	50-53	54-57

# SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

Port Authority® Silk Touch™ Performance Colorblock  
Stripe Polo. K547

## HOW TO MEASURE

---



### CHEST

Measure under the arm and around the fullest part of the chest with arms down, keeping tape horizontal.

## COLORS

---

Please note: PMS code information is shown only when an exact match is available.



Black/ Steel  
Grey  
PMS BLACK  
C



Brilliant Blue/  
Black  
PMS 7691 C



Lime/ Steel  
Grey  
PMS 367 C



Navy/  
Carolina Blue  
PMS 2142C



Red/ Black  
PMS 187 C



Steel Grey/  
White  
PMS 7540 C