

SPEC SHEET + MEASUREMENTS

DIST
RICT®

District® Distressed Cap. DT600

Product photo



Fabric: 100% cotton twill

Structure: Unstructured


Profile: Low

Closure: Self-fabric hideaway strap with metal D-ring slider *Due to a special finishing process, distress and color may vary.*

Sketches



front



back

SPEC SHEET + MEASUREMENTS



District® Distressed Cap. DT600

PRODUCT MEASUREMENTS

OSFA

Crown Height 6 1/2

Width of Front Panel(s) 7 3/8

Bill/Visor Length 2 7/8

Crown Height: Measure from middle of button at top, to brim seam along center front.

Width of Front Panel(s): Measure from side seam to side seam along bottom of crown (where bill meets crown along seam).

Bill/Visor Length: Measure from outside edge of bill to crown seam at center front.

SIZE CHARTS

OSFA

Hat Size 6 5/8- 8

Head Size 20 7/8- 25 1/8

SPEC SHEET + MEASUREMENTS



District® Distressed Cap. DT600

HOW TO MEASURE

HATS

Measure the circumference around the head, above the eyebrow and at the widest part of the head. Divide number by 3.14 for hat size.

COLORS

Please note: PMS code information is shown only when an exact match is available.



Black
PMS BLACK
C



Burnt Orange
PMS 7586C



Dashing Red
PMS 697C



Light Olive
PMS 405C



Military Camo



Nickel
PMS 7540C



Scotland Blue
PMS 431C



True Pink
PMS 204C