

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Flexfit 110® Foam Outdoor Cap. C937

Product photo




- 87/13 poly/spandex front panels with light foam; 100% polyester mesh mid and back panels
- Structured
- Mid-profile
- 5 panels
- Stretch and Flexfit 110 technology allows for the perfect blend of Flexfit technology and adjustability for a more custom fit
- Crushable, foldable brim and crown for easy travel
- Webbing adjustable closure with easy-release buckle closure

Sketches



front



back

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Flexfit 110® Foam Outdoor Cap. C937

PRODUCT MEASUREMENTS

OSFA

Crown Height 6 7/8

Width of Front Panel(s) 7 1/2

Bill/Visor Length 2 3/4

Crown Height: Measure from middle of button at top, to brim seam along center front.

Width of Front Panel(s): Measure from side seam to side seam along bottom of crown (where bill meets crown along seam).

Bill/Visor Length: Measure from outside edge of bill to crown seam at center front.

SIZE CHARTS

OSFA

Hat Size 6 1/2- 7 7/8

Head Size 20 3/8- 24 5/8

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Flexfit 110® Foam Outdoor Cap. C937






HOW TO MEASURE

HATS

Measure the circumference around the head, above the eyebrow and at the widest part of the head.
Divide number by 3.14 for hat size.

COLORS

Please note: PMS code information is shown only when an exact match is available.

				
Army Green/ Black PMS 418C	Black/ Black PMS BLACK C	Graphite/ Black PMS 432C	Silver/ White PMS COOL GREY 5C	True Navy/ White PMS 533C