

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

Port Authority® Women's Dry Zone® Ottoman Polo. L525

Product photo



Colorfast and snag-resistant, this durable shirt features Dry Zone® moisture-wicking technology to perform at any corporate event.

- 5.3-ounce, 100% polyester
- Snag-resistant
- Flat knit collar
- 4-button elongated placket
- Dyed-to-match buttons
- Open hem sleeves with rib knit inset
- Side vents
- Rental-friendly

CARE INSTRUCTIONS

Machine Wash Cold, Wash With Like Colors, Do Not Bleach, Tumble Dry Low, Cool Iron If Necessary.

Sketches



front



back

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Women's Dry Zone® Ottoman Polo. L525

PRODUCT MEASUREMENTS

| | XS | S | M | L | XL | XXL | 3XL | 4XL |
|--------------------------------|--------|--------|--------|--------|--------|--------|--------|-----|
| Bust | 18 1/2 | 19 1/2 | 20 1/2 | 21 1/2 | 22 1/2 | 24 | 26 1/2 | 29 |
| Sleeve Length from Center Back | 15 3/4 | 16 1/4 | 17 1/4 | 17 3/4 | 18 3/4 | 19 1/4 | 20 1/2 | 21 |
| Body Length at Back | 24 | 25 | 26 | 27 | 28 | 28 | 29 | 30 |

Bust: Measured across the chest one inch below armhole when laid flat.

Sleeve Length from Center Back: Measure from Center Back neck to shoulder point to sleeve hem.

Body Length at Back: Measured from high point shoulder to finished hem at back.

SIZE CHARTS

| | XS | S | M | L | XL | XXL | 3XL | 4XL | 5XL | 6XL |
|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Size | 2 | 4/6 | 8/10 | 12/14 | 16/18 | 20/22 | 24/26 | 28/30 | 32/34 | 36/38 |
| Bust | 32-34 | 35-36 | 37-38 | 39-41 | 42-44 | 45-47 | 48-51 | 52-55 | 56-59 | 60-63 |

SPEC SHEET + MEASUREMENTS

PORT AUTHORITY.

Port Authority® Women's Dry Zone® Ottoman Polo. L525

HOW TO MEASURE



BUST

Measure under the arm and around the fullest part of the bust with arms down, keeping tape horizontal.

COLORS

Please note: PMS code information is shown only when an exact match is available.



Black
PMS BLACK
C



Navy
PMS 532C



Royal
PMS 7687C