

# SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

## Port Authority® Easy Care Camp Shirt. S535

### Product photo



This classic camp shirt is perfect for upscale service environments. Made from no-fuss fabric, this shirt has a stain-release finish that helps keep you clean and stain-free so it keeps its great looks wear after wear.

- 5.75-ounce, 75/25 poly/rayon with stain-release finish
- Camp style collar
- Faux coconut shell buttons
- Left chest pocket
- Side vents

### CARE INSTRUCTIONS

Machine wash cold with like colors. Mild detergent. Only non-chlorine bleach. Tumble dry low. Remove promptly. Cool iron if necessary.

### Sketches



front



back

# SPEC SHEET + MEASUREMENTS

PORT AUTHORITY

Port Authority® Easy Care Camp Shirt. S535

## PRODUCT MEASUREMENTS

	XS	S	M	L	XL	2XL	3XL	4XL
Chest	20	21 1/2	23	24 1/2	26	27 1/2	29 1/2	31 1/2
Sleeve Length	19 1/4	20	20 3/4	21 1/2	22 1/4	23	23 3/4	24 1/2
Body Length at Back	27 1/2	28 1/2	29 1/2	30 1/2	31 1/2	32 1/2	33	33 1/2
Pocket Height	5 3/4	5 3/4	6	6	6	6	6	6 1/4
Pocket Width	5 1/4	5 1/4	5 1/2	5 1/2	5 1/2	5 1/2	5 1/2	5 3/4

- Chest:** Measured across the chest one inch below armhole when laid flat.
- Sleeve Length:** Start at center of neck and measure down shoulder, down sleeve to hem.
- Body Length at Back:** Measured from high point shoulder to finished hem at back.
- Pocket Height:** Measure from top to bottom at center.
- Pocket Width:** Measure from side to side at top edge.

# SPEC SHEET + MEASUREMENTS


PORT AUTHORITY

Port Authority® Easy Care Camp Shirt. S535

## SIZE CHARTS

	XS	S	M	L	XL	2XL	3XL	4XL
Chest	32-34	35-37	38-40	41-43	44-46	47-49	50-53	54-57
Neck	14 1/2 - 15	15 - 15 1/2	15 1/2 - 16	16 - 16 1/2	16 1/2 - 17	17 - 17 1/2	17 1/2 - 18	18 - 18 1/2

## HOW TO MEASURE



### CHEST

Measure under the arm and around the fullest part of the chest with arms down, keeping tape horizontal.

## COLORS

Please note: PMS code information is shown only when an exact match is available.



Black  
PMS BLACK  
C



Blue  
PMS 2139C



Ivory  
PMS 9043C